



AMENDMENTS TO THE CLAIMS:


This listing of claims will replace all prior versions, and listing, of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A molding composition comprising:
 - I. at least two components selected from the group consisting of aromatic poly(ester) carbonates, graft polymers of one or more vinyl monomers on one or more graft bases having a glass transition temperature of < 10°C, a thermoplastic vinyl (co)polymer or poly(alkylene terephthalate), and
 - II. 0.5 to 25 parts by weight of a mixture of phosphorus compounds represented by the following formulas (I-a) and (I-b) of the general formula (I)




and



wherein independently for each of formulas (I-a) and (I-b)


X denotes a mononuclear or polynuclear aromatic radical with 6 to 30 C atoms,

X¹ and X² are each independently represented by the following formula (II).




for which

A¹ denotes a member selected from the group consisting of C₁-C₃ alkylene, C₂-C₅ alkylidene, C₅-C₈ cycloalkylidene, -O-, -SO-, -CO-, -S-, -SO₂-, C₆-C₁₂ arylene, each optionally condensed with further aromatic rings optionally containing heteroatoms, and a radical of the formula



or a radical of the formula (IV)



and where

B independently of one another denotes C₁-C₈ alkyl, C₆-C₁₀ aryl, C₇-C₁₂ aralkyl,

x is in each case independently of one another 0, 1 or 2,

p is 1 or 0, and

R⁶ and R⁷ for each Z, independently of one another denote hydrogen or C₁-C₆ alkyl.

Z denotes carbon, and

m denotes an integer from 4 to 7,

with the proviso that on at least one atom Z, R⁶ and R⁷ are simultaneously alkyl

R¹, R², R³ and R⁴ independently of one another denote optionally halogenated C₁-C₈ alkyl or unsubstituted or substituted C₅-C₆ cycloalkyl, C₆-C₂₀ aryl or C₇-C₁₂ aralkyl where the substituents are selected from at least one of the group consisting of halogen and C₁-C₄ alkyl

n independently of one another denotes 0 or 1,

q denotes 0.5 to 30,

with the proviso that said mixture of phosphorous compounds contains at least 2 1 phosphorus compounds of the represented by formula (I-a) and at least 1 phosphorous compound represented by formula (I-b), and the phosphorous compounds of formulas (I-a) and (I-b) that differ one from the other in at least one of their respective X¹, X², R¹, R², R³ or R⁴ groups, and wherein the sum of the parts by weight of the components is 100.

2. (Cancelled)

3. (Cancelled)


4. (Currently Amended) The composition of Claim 1 wherein ~~X is~~ X¹ and X² are each independently derived from a member selected from the group consisting of bisphenol A, resorcinol, hydroquinone, ~~dihydroxydiphenyl~~ and dihydroxydiphenyl sulfone.

5. (Currently Amended) The composition of Claim 1 wherein the mixture of phosphorous compounds contains at least one phosphorus compound according to

Mo-6660

-4-

formula (I-c),



in which Y denotes an isopropylidene radical, R^5 independently denotes C_1 - C_4 alkyl or halogen, and k denotes 0, 1 or 2.

6. (Original) The composition according to Claim 1 wherein the graft copolymer is based on at least 2 monomers selected from the group consisting of chloroprene, butadiene-1,3, isoprene, styrene, acrylonitrile, ethylene, propylene, vinyl acetate and (meth)acrylic acid esters with 1 to 18 C atoms in the alcohol component.

7. (Currently Amended) The composition of Claim 6 wherein the graft polymer is based on:

B.1 5 to 95 parts by weight relative to 100 parts of the graft polymer of a mixture of

B.1.1 50 to 99 parts by weight relative to 100 parts of B.1 of at least one member selected from the group consisting of styrene, α -methylstyrene, halogen-nuclear-substituted and methyl-nuclear-substituted styrenes and methyl methacrylate, and

B.1.2 1 to 50 parts by weight relative to 100 parts of B.1 of at least one member selected from the group consisting of selected from the group consisting of acrylonitrile, methacrylonitrile, methylmethacrylate, maleic anhydride, C_1 - C_4 alkyl-substituted maleimide and N-phenyl-substituted maleimide, and

B.2 5 to 95 parts by weight relative to 100 parts of B of polymer based on at least one member selected from the group consisting of diene and alkyl acrylate having a glass transition temperature of below -10°C .

8. (Original) The composition according to Claim 7, wherein B.2 is a member selected from the group consisting of polybutadiene, polyisoprene, butadiene/styrene copolymer, butadiene/acrylonitrile copolymer and acrylate rubber.

9. (Currently Amended) The composition according to Claims 1 wherein vinyl monomer is at least one member selected from the group consisting of vinyl aromatic compound, vinyl cyanide, (meth)acrylic acid-(C₁-C₈)-alkyl ester, unsaturated carboxylic acid, and a derivative of an unsaturated carboxylic acid.


10. (Currently Amended) The composition according to Claim 1 further containing comprising an anti-drip agent.

11. (Currently Amended) A molding composition comprising:


- A) 5 to 95 parts by weight relative to 100 parts of the composition of at least one member selected from the group consisting of an aromatic polycarbonate and polyester carbonate,
- B) 1 to 60 parts by weight relative to 100 parts of the composition of at least one graft polymer of
 - B.1 5 to 95 wt.% relative to the weight of B) of one or more vinyl monomers on
 - B.2 5 to 95 wt.% relative to the weight of B) of one or more graft bases having a glass transition temperature of $< 10^{\circ}\text{C}$,
- C) 0 to 50 parts by weight relative to 100 parts of the composition of a member selected from the group consisting of a thermoplastic vinyl (co)polymer and thermoplastic poly(alkylene terephthalate)
- D) 0.5 to 25 parts by weight relative to 100 parts of the composition of a

for which

A' denotes a member selected from the group consisting of C₁-C₅ alkylene, C₂-C₅ alkylidene, C₅-C₈ cycloalkylidene, -O-, -SO-, -CO-, -S-, -SO₂-, C₆-C₁₂ arylene, each optionally condensed with further aromatic rings optionally containing heteroatoms, and a radical of the formula



or a radical of the formula (IV)



and where

B independently of one another denotes C₁-C₈ alkyl, C₈-C₁₀ aryl, C₇-C₁₂ aralkyl,

x is in each case independently of one another 0, 1 or 2,

p is 1 or 0, and

R⁶ and R⁷ for each Z, independently of one another denote hydrogen or C₁-C₆ alkyl,

Z denotes carbon, and

m denotes an integer from 4 to 7,

with the proviso that on at least one atom Z, R⁶ and R⁷ are simultaneously alkyl


R¹, R², R³ and R⁴ independently of one another denote optionally halogenated C₁-C₈ alkyl or unsubstituted or substituted C₅-C₈ cycloalkyl, C₆-C₂₀ aryl or C₇-C₁₂ aralkyl where the substituents are selected from at least one of the group consisting of

R^1 , R^2 , R^3 and R^4 are each phenyl,

n is 1,

q is 1, and

X^2 is represented by the following formula,



further wherein said composition has a weight ratio of said first phosphorous compound to said second phosphorous compound selected from 1.0 : 1.0, 3.6 : 1.0 and 0.40 : 1.0.

15. (Added) The composition of Claim 11 wherein said composition consists of components A) through E).